

TYRES

Product group	Tyres
Item number	10004372
Valid tyre size	800 / 45 R 26.5
LI / SI / PR	178 D
TL/TT	TL
Brand	Alliance
Tread pattern	590



Notes and features

- The Alliance 590 is a flotation radial tyre for use in agriculture and on construction sites.
- Its robust steel belt construction (Steel Belted) and the cut and tear resistant rubber compound enable high load capacities.
- The tyre is ideal for use in the field as well as for on- and off-road applications.

Technical Informations

Item number	10004372
EAN	8903635057062
Valid tyre size	800 / 45 R 26.5
LI / SI / PR	178 D
TL/TT	TL
Brand	Alliance
Tread pattern	590
Carcass properties	Steel Belted
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 106
Nettogewicht [kg] (gültig)	205,60
Recommended rim size	AG28.00
Maximum air pressure [bar].	5,00
Section width (mm)	835
Outer diameter of tyre [mm].	1400
Stat. radius (SLR) [mm]	629
Speed Radius Index (SRI)	650
Rolling circumference [mm].	4313
Contact area [cm²]	2714.9
Tread depth (mm)	27,0
Number of lugs	28x2
Tyre capacity 75% [ltr.]	537.68
Guarantee period	10 years
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
178 D	7500	65		5,00	