

TYRES

Product group	Tyres
Item number	10745028
Valid tyre size	155 / 70 R 12 C
LI / SI / PR	104 / 102 N
TL/TT	TL
Brand	Cheng Shin
Tread pattern	Trailermaxx ECO CL-31N



Notes and features

- The Trailermaxx ECO CL-31N is a tyre for car trailers and caravans.
  - The low rolling resistance and optimised tyre weight ensure low fuel consumption.
- Thanks to its high tread pattern depth, the tyre is very durable.

## Technical Informations

Item number	10745028
EAN	6933882542013
Valid tyre size	155 / 70 R 12 C
LI / SI / PR	104 / 102 N
TL/TT	TL
Brand	Cheng Shin
Tread pattern	Trailermaxx ECO CL-31N
Rolling resistance	C
Wet grip	B
Rolling noise [db].	72
Rolling noise level	B
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 54,ECE 117
Nettogewicht [kg] (gültig)	7,52
Recommended rim size	4.5
Permitted rim size	4.0, 5.0
Maximum air pressure [bar].	6,50
Section width (mm)	157
Outer diameter of tyre [mm].	523
Rolling circumference [mm].	1649
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
104 N	900	140	Single	6,50	
102 N	850	140	Twin	6,50	