

## **TYRES**

Product group	Tyres	
Item number	10927977	
Valid tyre size	800 / 70 R 32 CHO	
LI / SI / PR	175 A8 / 172 B	
TL/TT	TL	
Brand	Mitas	
Tread pattern	SFT	



Mitas

## **Notes and features**

• The Mitas SFT CHO is a Cyclic Harvesting Operation tyre specially developed for harvesting machines.



## **Technical Informations**

Item number	10927977
item number	10951.91.1
EAN	8059971066036
Valid tyre size	800 / 70 R 32 CHO
LI / SI / PR	175 A8 / 172 B
TL/TT	TL
Brand	Mitas
Tread pattern	SFT
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	378,30
Recommended rim size	DW25A
Permitted rim size	DW27A
Maximum air pressure [bar].	2,40
Section width (mm)	748
Outer diameter of tyre [mm].	1932
Stat. radius (SLR) [mm]	845
Rolling circumference [mm].	5630
Tread depth (mm)	55,0
Number of lugs	22x2
Tyre capacity 75% [ltr.]	1000
E-Ready	No

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp SE accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.



## **Load capacity**

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
175 A8	6900	40		2,40	
172 B	6300	50		2,40	