

TYRES

Product group	Tyres	
Item number	13375270	
Valid tyre size	480 / 80 R 26	
LI / SI / PR	167 A8 / 167 B	
TL/TT	TL	
Brand	Michelin	
Tread pattern	BibLoad Hard Surface	





Notes and features

- The Michelin BibLoad Hard Surface is a tyre for telescopic and skid steer loaders.
- It provides more traction on hard surfaces in dry, wet and slippery conditions.
- The high tread blocks ensure slower wear on abrasive surfaces.
- Its reinforced sidewall provides better protection against impact damage.



Technical Informations

Item number	13375270
EAN	3528708867093
Valid tyre size	480 / 80 R 26
Alternative size 1	18.4R26
LI / SI / PR	167 A8 / 167 B
TL/TT	TL
Brand	Michelin
Tread pattern	BibLoad Hard Surface
Antistatic	No
Tyre colour	Black
ECE regulation number	not necessary
Nettogewicht [kg] (gültig)	131,00
Recommended rim size	15
Permitted rim size	16
Maximum air pressure [bar].	4,00
Section width (mm)	487
Outer diameter of tyre [mm].	1416
Stat. radius (SLR) [mm]	644
Rolling circumference [mm].	4220
Tread depth (mm)	33,0
Tyre capacity 75% [ltr.]	304
E-Ready	No

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp SE accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.



Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
167 A8	5450	40		4,00	
167 B	5450	50		4,00	