

## TYRES

Product group	Tyres
Item number	15226190
Valid tyre size	9.5 R 40
LI / SI / PR	135 A8 / 132 D
TL/TT	TL
Brand	Alliance
Tread pattern	350



## Notes and features

- Row crop tyre for use on tractors and self-propelled field sprayers.
- Ideal for crop protection and maintenance work on row crops.
- Rounded shoulders protect against plant and soil damage.
- Available in very high load-capacity variants, even for the heaviest combination of machines (field sprayer + additional tank).
- 65 km/h approval (subject to exceptions).

## Technical Informations

Item number	15226190
EAN	7291050015905
Valid tyre size	9.5 R 40
Alternative size 1	230/95R40
LI / SI / PR	135 A8 / 132 D
TL/TT	TL
Brand	Alliance
Tread pattern	350
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 106
Nettogewicht [kg] (gültig)	52,26
Recommended rim size	W8
Permitted rim size	W7
Maximum air pressure [bar].	3,60
Section width (mm)	249
Outer diameter of tyre [mm].	1465
Stat. radius (SLR) [mm]	693
Speed Radius Index (SRI)	725
Rolling circumference [mm].	4492
Tread depth (mm)	34,5
Number of lugs	27x2
Lug width (mm)	26
Tyre capacity 75% [ltr.]	108
Guarantee period	7 years
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
135 A8	2180	40		3,60	
132 D	2000	65		3,60	