

TYRES

| | |
|-----------------|-----------------|
| Product group | Tyres |
| Item number | 15226749 |
| Valid tyre size | 600 / 60 R 28 |
| LI / SI / PR | 167 A2 / 159 A8 |
| TL/TT | TL |
| Brand | Alliance |
| Tread pattern | Forestar 342 |



Notes and features

- The Alliance Forestar 342 is a modern, radial agricultural tractor tyre for forestry tractors.
- The tyre provides excellent traction and grip, high stability and a durable tread compound.
- The strong, steel-reinforced nylon casing protects the tyre against punctures.
- Additionally, the tread pattern is reinforced with intermediate lugs in the shoulder area preventing damage from stones and branches.
- Matching bogie ribbons are available on the market.

Technical Informations

| | |
|------------------------------|-----------------|
| Item number | 15226749 |
| EAN | 7291050057776 |
| Valid tyre size | 600 / 60 R 28 |
| LI / SI / PR | 167 A2 / 159 A8 |
| TL/TT | TL |
| Brand | Alliance |
| Tread pattern | Forestar 342 |
| TRA Code | LS-2 |
| Antistatic | No |
| Tyre colour | Black |
| ECE regulation number | ECE 106 |
| Nettogewicht [kg] (gültig) | 208,01 |
| Recommended rim size | 20 |
| Permitted rim size | 18 |
| Maximum air pressure [bar]. | 3,20 |
| Section width (mm) | 616 |
| Outer diameter of tyre [mm]. | 1420 |
| Stat. radius (SLR) [mm] | 660 |
| Rolling circumference [mm]. | 4335 |
| Tread depth (mm) | 50,0 |
| Number of lugs | 18x2 |
| Tyre capacity 75% [ltr.] | 331.5 |
| E-Ready | No |

Load capacity

| Index | Load capacity [kg] | Speed [km/h] | Axle position | Inflation pressure [bar] | Load variant |
|--------|--------------------|--------------|---------------|--------------------------|--------------|
| 167 A2 | 5450 | 10 | | 3,20 | |
| 159 A8 | 4375 | 40 | | 3,20 | |