

TYRES

Product group	Tyres
Item number	15284020
Valid tyre size	305 / 70 R 16.5
LI / SI / PR	141 A5
TL/TT	TL
Brand	Alliance
Tread pattern	Multiuse 550



Notes and features

- Municipal tyres for varied use, e.g. for tractors in contracting services with high road use or for green fodder and corn harvesting.
- Optimal winter performance due to special block tread pattern.
- Low rolling resistance ensures high fuel savings compared with standard agricultural tyres.
- Steel belt reinforcement for high load capacity and protection against punctures.
- With M+S identification.

Technical Informations

Item number	15284020
EAN	7291050060066
Valid tyre size	305 / 70 R 16.5
Alternative size 1	12R16.5
LI / SI / PR	141 A5
TL/TT	TL
Brand	Alliance
Tread pattern	Multiuse 550
M+S	M+S
Carcass properties	Steel Belted
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 106
Nettogewicht [kg] (gültig)	42,67
Recommended rim size	9.75
Maximum air pressure [bar].	4,00
Section width (mm)	304
Outer diameter of tyre [mm].	832
Stat. radius (SLR) [mm]	374
Rolling circumference [mm].	2469
Tread depth (mm)	23,7
Tyre capacity 75% [ltr.]	59
E-Ready	No

Load capacity

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
141 A5	2575	25		4,00	