

TYRES

|                 |                 |
|-----------------|-----------------|
| Product group   | Tyres           |
| Item number     | 19266074        |
| Valid tyre size | 155 / 70 R 12 C |
| LI / SI / PR    | 104 / 101 N     |
| TL/TT           | TL              |
| Brand           | Kenda           |
| Tread pattern   | KR16 Kargo Pro  |



Notes and features

- Versatile and reliable high-speed car trailer tyre.

## Technical Informations

|                              |                 |
|------------------------------|-----------------|
| Item number                  | 19266074        |
| EAN                          | 5707562269016   |
| Valid tyre size              | 155 / 70 R 12 C |
| LI / SI / PR                 | 104 / 101 N     |
| TL/TT                        | TL              |
| Brand                        | Kenda           |
| Tread pattern                | KR16 Kargo Pro  |
| M+S                          | M+S             |
| Rolling resistance           | D               |
| Wet grip                     | C               |
| Rolling noise [db].          | 70              |
| Rolling noise level          | B               |
| Antistatic                   | No              |
| Tyre colour                  | Black           |
| ECE regulation number        | ECE 54,ECE 117  |
| Nettogewicht [kg] (gültig)   | 7,00            |
| Recommended rim size         | 4.00J           |
| Maximum air pressure [bar].  | 6,50            |
| Section width (mm)           | 152             |
| Outer diameter of tyre [mm]. | 523             |
| Stat. radius (SLR) [mm]      | 240             |
| Rolling circumference [mm].  | 1598            |
| E-Ready                      | No              |

Load capacity

| Index | Load capacity [kg] | Speed [km/h] | Axle position | Inflation pressure [bar] | Load variant |
|-------|--------------------|--------------|---------------|--------------------------|--------------|
| 104 N | 900                | 140          | Single        | 6,50                     |              |
| 101 N | 825                | 140          | Twin          | 6,50                     |              |