

## **TYRES**

Product group	Tyres	
Item number	19266077	
Valid tyre size	225 / 55 R 12 C	
LI / SI / PR	112 N, 10 PR	
TL/TT	TL	
Brand	Kenda	
Tread pattern	KR33A	





## Notes and features

• The Kenda KR33A is a tyre specially designed for

agricultural purposes and car trailer use and has an extra wide tread pattern.



## **Technical Informations**

Item number	19266077
EAN	5707562618838
Valid tyre size	225 / 55 R 12 C
LI / SI / PR	112 N, 10 PR
TL/TT	TL
Brand	Kenda
Tread pattern	KR33A
M+S	M+S
Rolling resistance	D
Wet grip	С
Rolling noise [db].	71
Rolling noise level	В
Antistatic	No
Tyre colour	Black
ECE regulation number	ECE 54,ECE 117
Nettogewicht [kg] (gültig)	10,00
Recommended rim size	7.00J
Permitted rim size	5.50J, .50J
Maximum air pressure [bar].	6,90
Section width (mm)	225
Outer diameter of tyre [mm].	554
E-Ready	No

All information on these pages is based on the technical data of the manufacturers. The content is non-binding and is intended solely for information purposes. Bohnenkamp SE accepts no liability in connection with this data. Liability for any direct or indirect damages, claims for damages, consequential damages of any kind and on any legal grounds whatsoever arising from the use of the information obtained is excluded to the extent permitted by law.



## **Load capacity**

Index	Load capacity [kg]	Speed [km/h]	Axle position	Inflation pressure [bar]	Load variant
112 N	1120	140		6,90	
	1120	90		6,90	