

TYRES

| | |
|-----------------|------------------|
| Product group | Tyres |
| Item number | 19866005 |
| Valid tyre size | 155 / 70 R 12 C |
| LI / SI / PR | 104 N |
| TL/TT | TL |
| Brand | GT Radial |
| Tread pattern | KargoMax ST 6000 |



Notes and features

- The Kargomax ST-6000 is a tyre for car trailers and caravans.
- This tyre is an optimum synthesis of traction, ride comfort and durability.
- The newly developed rubber compound ensures high mileage and low rolling resistance.
- The tyres are approved for trailer use only.

Technical Informations

| | |
|------------------------------|------------------|
| Item number | 19866005 |
| EAN | 6932877149879 |
| Valid tyre size | 155 / 70 R 12 C |
| LI / SI / PR | 104 N |
| TL/TT | TL |
| Brand | GT Radial |
| Tread pattern | KargoMax ST 6000 |
| M+S | M+S |
| Rolling resistance | C |
| Wet grip | C |
| Rolling noise [db]. | 70 |
| Rolling noise level | B |
| Antistatic | No |
| Tyre colour | Black |
| ECE regulation number | ECE 54,ECE 117 |
| Nettogewicht [kg] (gültig) | 7,15 |
| Recommended rim size | 4.50J |
| Maximum air pressure [bar]. | 6,50 |
| Section width (mm) | 157 |
| Outer diameter of tyre [mm]. | 523 |
| Stat. radius (SLR) [mm] | 243 |
| Rolling circumference [mm]. | 1592 |
| E-Ready | No |

Load capacity

| Index | Load capacity [kg] | Speed [km/h] | Axle position | Inflation pressure [bar] | Load variant |
|-------|--------------------|--------------|---------------|--------------------------|--------------|
| 104 N | 900 | 140 | | 6,50 | |